



Catalogue of Cleanroom garments and boots.

1. Tetrad integral Cleanroom garment(Integrating hat,jacket ,pants and socks)



L-4101(white)

L-4103(blue)

L-4104 (pink)

L-4105 (green)

Article Number: L-4101(White) L-4103(Blue) L-4104(Pink) L-4105(Green)

Origin: Shanghai, China

Application: Class A or B clean area protection (Level 100-10000)

Standard: GB12014-2009 Grade A

Technical data: Surface resistivity 1×10^6 Electric charge quantity $< 0.2 \mu\text{C}/\text{Pcs}$

Material: PFY+ Conductive fibre

Characteristics: Anti-static, non dust-off treatment, temperature endurance, long time repeated use, good air permeability.

Style: Hat, jacket,pants and stockings connected, with optional of mask,gloves,clean pocket and glasses.

Suitable industry: Pharmceutical, food processing, biological, electronics, aviation and aerospace, painting and coating.

Shelf life: Used for one year or 100-150 times washing.

Size: Unisex (XS,S,M,L,XL,2L,3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

2. Triple integral cleanroom garment(Integrating hat,jacket and pants)



L-3101 (white)

L-3103 (blue)

L-3104 (pink)

L-3105 (green)

L-3122 L-3121

L-3201 L-3203

Article Number: L3101(White) L-3103(Blue) L-3104(Pink) L-3105(Green)

Origin: Shanghai, China

Application: Class A or B clean area protection (Level 100-10000)

Standard: GB12014-2009 Grade A

Technical data: Surface resistivity 1×10^6 Electric charge quantity $< 0.2 \mu\text{C}/\text{Pcs}$

Material: PFY+ Conductive fibre

Characteristics: Anti-static, non dust-off treatment, temperature endurance, long time repeated use, good air permeability.

Style: Hat, jacket and pants connected, with optional mask, gloves, boots (or high shoe Cover/stockings), anti-dust glasses and clean pocket.

Suitable industry: Pharmaceutical, food processing, biological, electronics, aviation and aerospace, painting and coating.

Shelf life: Used for one year or 100-150 times washing.

Size: Unisex (XS, S, M, L, XL, 2L, 3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

Remark: L-3122(Blue) and L-3121(White) has different figuration of Conductive wire in fibre, it use web structure conductive wire.

✚ Article Number: L-3201(White) L-3203(Blue)

Origin: Shanghai, China

Application: Class A or B clean area protection (Level 100-10000)

Standard: GB12014-2009 Grade A

Technical data: Surface resistivity 1×10^6 Electric charge quantity $< 0.2 \mu\text{C}/\text{Pcs}$

Material: PFY+ Conductive fibre

Characteristics: Anti-static, non dust-off treatment, temperature endurance, long time repeated use, good air permeability.

Style: **Zip closure at pants instead of jacket**

Hat, **mask**, jacket and pants connected, with optional gloves, boots (or high shoe Cover/stockings), anti-dust glasses and clean pocket.

Suitable industry: Pharmaceutical, food processing, biological, electronics, aviation and aerospace, painting and coating.

Shelf life: Used for one year or 100-150 times washing.

Size: Unisex (XS, S, M, L, XL, 2L, 3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

3. Dual integral cleanroom garment(Integrating jacket and pants)



L-2101

L-2103

L-2104

L-2105

L-2201

L-2203

✚ Article Number: L-2101(White) L-2103(Blue) L-2104(Pink) L-2105(Green)

Origin: Shanghai, China

Application: Class A or B clean area protection (Level 100-10000)

Standard: GB12014-2009 Grade A

Technical data: Surface resistivity 1×10^6 Electric charge quantity $< 0.2 \mu\text{C}/\text{Pcs}$

Material: PFY+ Conductive fibre

Characteristics: Anti-static, non dust-off treatment, temperature endurance, long time repeated use, good air permeability.

Style: Jacket and pants connected, with optional shawl hat, mask, gloves, boots, anti-dust glasses and pocket.

Shelf life: Used for one year or 100-150 times washing.

Size: Unisex (XS,S,M,L,XL,2L,3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

Article Number: L-2201(White) L-2203(Blue)

Origin: Shanghai, China

Application: Class A or B clean area protection (Level 100-10000)

Standard: GB12014-2009 Grade A

Technical data: Surface resistivity 1×10^6 Electric charge quantity $< 0.2 \mu\text{C}/\text{Pcs}$

Material: PFY+ Conductive fibre

Characteristics: Anti-static, non dust-off treatment, temperature endurance, long time repeated use, good air permeability.

Style: **Side open zip type.**
Jacket and pants connected, with optional shawl hat, mask, gloves, boots, anti-dust glasses and pocket.

Shelf life: Used for one year or 100-150 times washing.

Size: Unisex (XS,S,M,L,XL,2L,3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

4. Clean underwear



N-1001



N-1001W



N-1002



N-1002W

Article Number: N-1001(White) N-1001w(White) N-1002(Blue) N-1002W(Blue)

Origin: Shanghai, China

Application: Class A or B or C clean area protection (Level 10-10000)

Standard: GB12014-2009 Grade A

Technical data: Surface resistivity 1×10^7

Material: PFY+ Conductive fibre

Characteristics: Anti-static, dust-free, Moisture wicking, good air permeability.

Without de-fibre
 Style: With optional hat, anti-static cloth shoes
“W” Model with stocking and pants connected.
 Shelf life: Used for one year or 100 times washing.
 Size: Unisex (XS,S,M,L,XL,2L,3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

5. Split cleanroom garment



Article Number: F-1103(Blue)

Origin: Shanghai, China
 Application: Class D clean area protection (Level 100000)
 Standard: GB12014-2009 Grade A
 Technical data: Surface resistivity 1×10^6
 Material: PFY+ Conductive fibre
 Characteristics: Anti-static, without de-fibre, good air permeability..
 Style: No zip closure
 Hat and jacket connected. Jacket and pants separated.
 With optional mask, gloves, shoes and pocket.
 Shelf life: Used for one year or 100 to 150 times washing.

Size: Unisex (XS,S,M,L,XL,2L,3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

Article Number: F-1201(White) F-1201W F-1203(Blue) F-1203W F-1204(Pink) F-1205(Green)

Origin: Shanghai, China

Application: Class D clean area protection (Level 100000)

Standard: GB12014-2009 Grade A

Technical data: Surface resistivity 1×10^6

Material: PFY+ Conductive fibre

Characteristics: Anti-static,without de-fibre,good air permeability..

Style: No zip closure

Hat,mask and jacket connected. Jacket and pants separated.

With optional gloves, shoes and pocket.

“W” Model with additional pants and stocking connected. With optional gloves and pocket

Shelf life: Used for one year or 100 to 150 times washing.

Size: Unisex (XS,S,M,L,XL,2L,3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

Article Number: F-1301(White) F-1303(Blue) F-1304(Pink) F-1305(Green)

Origin: Shanghai, China

Application: Class D clean area protection (Level 100000)

Standard: GB12014-2009 Grade A

Technical data: Surface resistivity 1×10^6

Material: PFY+ Conductive fibre

Characteristics: Anti-static,without de-fibre,good air permeability..

Style: ZIP Closure

Hat and jacket connected. Jacket and pants separated.

With optional mask,gloves, shoes and pocket.

Shelf life: Used for one year or 100 to 150 times washing.

Size: Unisex (XS,S,M,L,XL,2L,3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

Article Number: F-2101(White) F-2103(Blue) F-2104(Pink)

Origin: Shanghai, China

Application: Class D clean area protection (Level 100000)

Standard: GB12014-2009 Grade A

Technical data: Surface resistivity 1×10^6

Material: PFY+ Conductive fibre

Characteristics: Anti-static,without de-fibre,good air permeability..

Style: ZIP Closure

Up round collar

Jacket and pants separated.

With optional hat,mask,gloves, shoes and pocket.

Shelf life: Used for one year or 100 to 150 times washing.

Size: Unisex (XS,S,M,L,XL,2L,3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

Article Number: F-2201(White) F-2203(Blue) F-2204(Pink)

Origin: Shanghai, China

Application: Class D clean area protection (Level 100000)

Standard: GB12014-2009 Grade A

Technical data: Surface resistivity 1×10^6

Material: PFY+ Conductive fibre

Characteristics: Anti-static,without de-fibre,good air permeability..

Style: ZIP Closure

Shirt Collar

Jacket and pants separated.

With optional hat,mask,gloves, shoes and pocket.

Shelf life: Used for one year or 100 to 150 times washing.

Size: Unisex (XS,S,M,L,XL,2L,3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

6. Gown



D-1201D-1101



D-1203 D-1103



D-2201D-2101



D-2203D-2103

Article Number: D-1201(Woman white) D-1101(Man white) D-1203(Woman blue) D-1103(Man blue) D-2201(Woman white) D-2101(Man white) D-2203(Woman blue) D-2103(Man blue)

Origin: Shanghai, China

Application: Simple protection for visitors

Standard: GB12014-2009

Technical data: Surface resistivity 1×10^6

Material: PFY+ Conductive fibre

Characteristics: Anti-static,without de-fibre, dust free, moisture wicking,good air permeability..

Style: Woman(Left button placket, waist tighten)

Man(Right ZIP placket)

With optional hat, pants and shoes.

D-1201,D-1101,D-1203,D-1103 use up round collar.

D-2201,D-2101,D-2203,D-2103 use large lapel.

Shelf life: Used for one year or 100 to 150 times washing.

Size: Unisex (XS,S,M,L,XL,2L,3L)

Height(cm)	150-156	157-162	163-168	169-174	175-180	181-185	185-190
Size	XS	S	M	L	XL	2L	3L

7. Cap/Hat



M-001 Pleated cap

M-002 Small round cap

M-003 Big round cap

M-004 Word cap

M-005 Hood

M-007 Snood cap

- Article Number: **M-001 Pleated Cap**
- M-002 Small round Cap**
- M-003 Big round Cap**
- M-004 Word Cap**
- M-005 Hood**
- M-007 Snood Cap**

8. Anti-static shoes, boots, boots cover, stocking and socks



X-001 Boots

X-002 Boots

X-003 Boots cover

X-005 Socks

X-006 Close fabric shoes

X-007 Close leather shoes



X-008 Single-mesh shoes

X-009 Ventilating leather shoes

X-010 Ventilating slippers

X-011 Cotton buskins

- Article Number: **X-001 Boots(PU Sole, Anti-static fabric cover and vamp)**
- X-002 Boots(PU Sole, PU cover and anti-static fabric vamp)**
- X-003 Boots cover/stockings(Anti-static fabric)**
- x-005 Socks(Anti-static fabric)**
- X-006 Close fabric shoes**
- X-007 Close leather(PVC) Shoes**

- X-008 Single mesh fabric shoes
- X-009 Ventilating leather(PVC) Shoes
- X-010 Ventilating leather(PVC) Shoes
- X-011 Cotton Buskins

Remark: X-001 and X-002 has color option of white and blue.

New kinds shoes are under developing. Design pictures are as follows, they are also ready for selling.



9. Clean gloves and oversleeves



S-001 Disposable latex gloves

S-002 Clean gloves

S-003 Stretch gloves

S-004 Oversleeves

- Article Number: S-001 Dust free disposal latex gloves
- S-002 anti-static fabric clean gloves
- S-003 Stretch anti-static fabric clean gloves
- S-004 anti-static fabric oversleeves

10. Clean room bag/pocket



D-001 Shut-up pocket



D-002 Hand(Straight)



D-003 Hand bag
(Transverse)



Shoulder D-004

- 🚩 **Article Number: D-001 Shut up pocket**
D-002 Straight hand bag
D-003 Transverse hand bag
D-004 Shoulder bag

11. Boots Cover/stockings



Boots cover X-004



Boots cover X-004



Boots cover X-004



Boots cover X-004

12. Sticky mat/Apron



Apron Z-003



Sticky Z-004